

New York HABs Program: In with the old, out with the new

Scott Kishbaugh, PE
Chief, Lake Monitoring and Assessment Section
NYSDEC Division of Water

NJ Water Monitoring Council September 23, 2015

A short (but long ago) history of HABs in NYS

400 years ago, Samuel Champlain's description of Oneida Lake suggested algae blooms were common on the lake

200 years later, James Fenimore Cooper observed "lake blossoms" on the lake, now described as "blooms"

Similar blooms were documented on a number of the lakes by biologists during the New York Conservation Department Biological Surveys from 1924-1938



Fast forward to "yesterday"



Lake Champlain 2008



Lake algae may be killing animals, birds

Authorities: Don't fish or touch the water. Water samples to be tested.

By Delen Goldberg Staff writer

A dog climbed out of Lake Neatahwanta in Fulton after a short swim Tuesday night, broke into convulsions and began vomiting.

Within minutes, the Labrador Thursday on parts of the lake's

While the toxin is unlikely to be fatal to humans, officials said high levels of the poison can cause liver and nervous system damage.

"Until we find out for sure what is going on, it's better that people stay away," said Evan Walsh, associate public health sanitarian for the county Health Department.

Authorities posted signs



The Post-St





2013.... New York is a HABsy state...





1

New York had 50 laboratory confirmed toxic algae warnings, an indication of how a strong monitoring system can reveal the true depth of the problem.



best management practices on heat torns hot protect under quality.

To the fast him is knowledge, photos hand load signed the arrivance of but how a configuration of the authors of the contract of the contr




Where are they in NY? 2014 HAB "Season"

Season = June thru October 93 waterbodies reported blooms

- 74 "confirmed" (out of 195 sampled waterbodies)
- 19 "suspicious"


75 lakes identified through DEC or other baseline monitoring programs

18 lakes identified by public reporting outside of baseline monitoring programs





Elements of the NY HABs Program





Factors that direct the program

Goals

Protect the public from health risks- worst case scenarios Document HAB problems but can't be all places at all times Link HABs to chlorophyll a, P, N, other stressors

People

Limited staff at DEC or DOH to conduct monitoring
Interested and willing pool of trained volunteers
Researchers w/ fluoroprobe/scopes, ability to measure toxins
Engaged public looking for advisory information

Funding

Limited DEC funds, no DOH funds post CDC study

Access to supplemental EPA funds

Volunteers, public, other free stuff



But what about these things (more factors)?

Authority

DOH (OPRHP)--regulated beaches- protocols based on visual only DEC --all other unregulated sites- outreach driven by data

Timing of reports & data analysis

Weekly (Friday) updates in advance of recreational season Near real time reporting to partners

Uncertainty

Provide advisories w/o toxins or "best" measures of algae biomass Balance protection with alarming or desensitizing lake users

Messaging

Recreational users, potable water users, pets, visitors Distinguishing messages by level of contact and exposure Balancing use support with use protection



The 3 Ps of surveillance and monitoring

Programs

Citizens Statewide Lake Assessment Program (CSLAP)

Lake Classification and Inventory Survey (LCI)



NY Federation of Lake Associations

Agencies: NYS/County DOH, NYS/NYC Parks

Academic: SUNY ESF and Stony Brook University

Big Lakes: Honeoye Lake, Seneca Lake,

Public








Citizens Statewide Lake Assessment Program (CSLAP)

- State mandated volunteer lake monitoring program (since 1985)
- NYS Federation of Lake Associations (statewide not-for-profit)
- Volunteers trained by DEC and NYSFOLA to collect and process field data
- No lake size limits (<5 to > 28,000 acres)
- Public and private lakes
- ELAP certified analysis



Citizens Statewide Lake Assessment Program (CSLAP)



1986-2015 (continuously):

- >30,000 samples at 250 lakes
- >2000 volunteers
- 2015 125 lakes

Program focus on eutrophication Volunteers sample 8x per year Analyzed by Upstate Freshwater Institute

Subsidized program:

- State dedicates >\$100k, staff time
- NYSFOLA lake associations contribute appx. \$55k annually (\$375-500 per lake)
- EPA grants for HAB monitoring and surveillance (partnership with SUNY ESF)

The power of volunteers

- Committed and passionate environmental stewards
- Donate time and money and effort
- Live at lake- responsive to immediate and short-term changes
- Familiar with what is "normal" at their lake
 - Can detect changes in lake condition
 - Can identify when "bloom" occurs
- Environmental data used to manage lake (most lake management in NYS is local)
- Expands data collection throughout the state – beyond Agency survey sites= greater understanding of regional patterns and issues





Open water HAB samples come in two forms

- 8x per year (biweekly) from near center of lake, grab from 1.5 meters
- ☐ "Raw": 50 ml whole water sample
 - analyzed for BGA content (BG chl.a) in fluoroprobe
- ☐ Filter: 200ml water sample filtered in the field and filter frozen
 - Analyzed for 26 algal toxins
- sent to Upstate FreshwaterInstitute with water chemistrysamples
- ☐ transported after screening to ESF






Shoreline Bloom Skim/Scum **Samples**





CSLAP - Orange Lake Harmful Algal Bloom Sample Data Sheet





Bloom samples are sent directly to ESF or Stony Brook

How samples are processed (ESF)

Shoreline Bloom samples

- Microscopic Exam
- FluoroProbe (%BGA initially)
- Lyophilize 100ml

Total cyanotoxins:

- Microcystins (16 congeners)
- Anatoxin-a (6 congeners)
- Cylindrospermopsins (2)
- BMAA
- PSP toxins (future)

Open water filters

- "In vivo" chl /PC (UFI) from raw water vial
- Filter vial color coded for triaging
- Filter extracted (ESF)

Raw open water sample vial

- FluoroProbe (%BGA)
- Microscopic exam



Breakdown of NYS Surveillance and Monitoring

| Category | Visual- Public | Visual- Professional | Sampling- Microscopic | Sampling- Analytical | Sampling- Toxins |
|--------------------------|---|--|--|---|--|
| Description | Digital images or comparison to image gallery | Beach manager visual evidence of BGA bloom | Microscopic scan of dominant taxa | Unextracted or extracted chl.a, phycocyanin | Lab PPIA/ELISA or field ELISA |
| Implication | DEC Web Notification- Suspicious | DOH/OPRHP Beach Closure | DEC Web Notification- Confirmed w/ evidence bloom | DEC Web Notification- Confirmed | DEC Web Notification- Confirmed / High Toxins |
| Decision Trigger | DEC review | DOH/OPRHP review | BGA / toxin producer ID | BG chl.a > 25- 30; or PC > 50 & tChl > 30 | MC-LR > 20 ug/l (> 10 ug/l open water) |
| Timing | Immediate (same day DEC review if needed) | Immediate | 1-2d (transit- immediate analysis/report) | 1-2d (transit- immediate analysis/report) | 2-10d (transit + extraction) |
| Accuracy | Low to mod | Mod to high? | High | Mod to high | Mod to high |
| Cost | None | None | Low to mod | Mod | Mod to high |
| Expertise / Availability | None required | "Regulated" sites only | Few labs | Some labs | Few labs |

We have all this data... now what?

"Suspicious"

- credible evidence indicates likelihood of both BGA and bloom conditions from visual, field report, other
- not (yet) verified by laboratory analysis

"Confirmed"

- BGA bloom confirmed by some combination of algae densities (chlorophyll)
- dominance by BGA (fluoroprobe, microscopics)
- toxins above WHO "moderate risk" threshold



Now what...continued

"Confirmed with high toxins"

 BGA bloom with microcystis-LR > WHO "high risk" threshold (20 ug/l shoreline, 10 ug/l open water)

For ALL categories, public advised to

- Avoid direct exposure to surface scums or heavily discolored water
- Keep pets and kids out of the water or accumulated shoreline scums
- Seek immediate medical assistance for symptoms consistent with BGA exposure
- Report any symptoms to local/state Health Department
- Report additional and on-going blooms to DEC through visual images, web page forms

Analysis: How we make "the call"

Surveillance--visual

- Does it look like spilled paint, pea soup, green streaks, or (many) green dots/clumps?
- Is it small (localized), large (localized), widespread, or open water?
- Is there visual evidence of a BGA bloom (quantities)?

Monitoring--data

World Health Organization guidelines to define risk for


BGA blooms: cell counts, chlorophyll a, species ID

toxins: microcystin-LR

NYSDOH beach re-opening



A typical day and week (any/every day)



Outreach and Reporting: Many days, many ways

To the sampler/"reporter"/lake association


To other agencies

To the public

To the media

By emails
By web notification
By social media

Data rich
Summary information only





Key points conveyed to samplers /"reporters"/public:

Characterization of sample/report

Suspicious, Confirmed, Confirmed with high toxins, no BGA

Small localized, large localized, widespread, open water

Next steps

Agency response

Monitoring (if none to date or follow up) response

What they should do

Avoid exposure

Report symptoms consistent with BGA exposure to local and state DOH

Seek medical assistance as needed

Forward info to other lake residents

Expectations for them

Send images and field report if not already provided

Keep agencies apprised of conditions

Inform them report will forwarded to others

Local DOH/DEC



Outreach to Agencies: Email to county group

Forward all information- images, field report, lab results Indication of lake uses

Public/private beaches or non regulated contact recreation Public water supply

Location and extent of bloom

Sample location and/or affect shoreline/open water

Extent: Small/large localized, widespread, open water

Characterization of sample/report

Suspicious, Confirmed, Confirmed with high toxins, no BGA


Comparison to Agency criteria used to characterize

Report forwarded to others

Lake association



Web notification (Friday outreach)



Waterbodies with Blue-Green Algae Notices

| Map Number | Waterbody Name | County | Status | Extent of bloom | Status Date | Type of Sample | Change in Status |
|---------------|----------------------|-------------|------------|-----------------|----------------|-------------------|---------------------|
| 1 | Allegheny Reservoir+ | Cattaraugus | Confirmed | Large localized | 10/7/2013 | Lab sample | Updated listing |
| 2 | Beaver Dam Lake | Orange | Confirmed | Small localized | 10/7/2013 | Lab sample | Updated listing |
| 3 | Browns Pond | Orange | Suspicious | Widespread | 10/3/2013 | Visual | No change |
| 4 | Burden Lake | Rensselaer | Confirmed | Small localized | 9/29/2013 | Lab sample | No change |

ent of enta

Conservation

Outreach platforms: New and old tools

Media


- Web page/ notification
- ListServe/MakingWaves
- Facebook
- Flickr
- YouTube
- Twitter

Signage

- Conservationist
- Flyers/brochuresPress releases







Data Integration

Numeric nutrient criteria

- Defining "what is a bloom"
- Defining acceptable frequency of blooms
- Linking shoreline blooms to open water chl.a and TP
- Linking toxin production to open water chl.a and TP

Waterbody assessments

TMDL visioning (Clean Water Plans)

Technical advice for local management of blooms

- Individual shoreline/property management (septics, buffers)
- In-lake management



Research/unanswered questions (of many)

What is the definition of a bloom (visually, quantitatively,..)?

What is the most appropriate regulatory (assessment, management, permitting) threshold for preventing blooms in the majority of NYS waterbodies?

Why are some waterbodies below this threshold (still) exhibiting blooms?

What HAB screening tools provide the best opportunities for balancing public protection with an abundance of false positive reports?

What management actions should be considered for responding to BGA blooms, and should these actions be tempered by the presence of cyanotoxins?

Should there be restrictions on the management of active blooms with algacides?





Program administration/oversight

Staff time

DEC- appx 1 work year; 50% of one staff person, balance split amongst multiple staff Albany/regional DEC

DOH- appx. 3-5 work years?; 100% one research fellow, 25-50% time 4-6 staff; 2 workyears regional/local DOH

Funding

Soft money thru EPA grants

Outreach support

Web page updates- EXTREMELY HECTIC Fridays

Requires coordination among multiple groups



What we've learned--where and why in a table

| Region | # 13-14 Sample d Lakes | # 13-14 HAB Lakes | 2014 avg TP HABs Lakes | 2014 avg TP non - HABs Lakes | # Lakes w/ High Toxins |
|-----------------------------|------------------------------|-------------------------|------------------------------|---------------------------------------|------------------------------|
| Western and Finger Lakes | 37 | 24 | 46 ug/l | 18 ug/l | 7 |
| Downstate and Long Island | 95 | 66 | 45 ug/l | 21 ug/l | 27 |
| Central | 113 | 51 | 44 ug/l | 16 ug/l | 15 |
| Adirondacks (region) | 86 | 10 | 24 ug/l | 9 ug/l | 2 |

Change from year to year- things getting better?


Less Algae and Fewer blooms in 2014?

| | Open | AvgTChl | %TChl>50 | AvgBG | %BG>30 | AvgMC | %MC>4 |
|------|------|---------|----------|-------|--------|-------|-------|
| Year | N | Open | Open / | Open | Open | Open | Open |
| 2014 | 902 | 7.8 | 2% | 3.7 | 3% | 0.2 | 0% |
| 2013 | 905 | 16.9 | 3% | 7.4 | 5% | 0.5 | 2% |
| 2012 | 650 | 15.1 | 2% | 9.4 | 2% | 0.5 | 2% |

| | Shore | AvgTChl | %TChl>50 | AvgBG | %BG>30 | AvgMC | %MC>4 |
|------|-------|---------|----------|-------|--------|-------|-------|
| Year | N | Shore | Shore | Shore | Shore | Shore | Shore |
| 2014 | 460 | 5492 | 45% | 5370 | 44% | 35 | 13% |
| 2013 | 473 | 3471 | 43% | 3166 | 43% | 144 | 29% |
| 2012 | 79 | 3482 | 72% | 3378 | 59% | 96 | 35% |



Be careful of wind concentrated scums



2011-14 CSLAP

Open water samples

- 2460 samples
- 3% BGA blooms
- <1% high toxins</p>

"Bloom" Samples

- 1010 samples
- 65% BGA blooms
- >23% high toxins



What about where people swim (shoreline

BGA)?

| T. 110.0 | N.I. | ED TChl | ED DCCh | 1 | NAC . | | Wow! HUGE |
|-----------------------|------|---------|---------|---|-------|---|----------------------------------|
| Туре | N | FP_TChl | FP_BGCh | _ | MC | | numbard |
| Spilled Paint | 72 | 22824 | 22604 | | 381.1 | | numbers! |
| Pea Soup | 67 | 19379 | 19076 | | 165.9 | | |
| Green Streaks | 62 | 3177 | 3055 | | 131.1 | | |
| Green Dots | 95 | 1635 | 1460 | | 66.3 | | |
| Any of last 4 | 224 | 8875 | 8676 | | 129.3 | | |
| Bubbling Scums | 15 | 1580 | 1306 | | 1.7 | | |
| Discolored | 5 | 228 | 207 | ' | 48.7 | | |
| Duckweed | 3 | 210 | 59 | | 185.3 | - | 7 |
| Other | 9 | 392 | 139 | | 2.0 | | Must be mis ID |
| Any of last 4 | 51 | 600 | 459 | | 19.9 | | (or lurking BGA) |
| No blooms | 12 | 65 | 42 | | 23.1 | | |


Apparent very high total and BGA levels and toxins in all samples

Some "non" BGA image samples show higher total algae (bubbling scums), higher toxins ("duckweed")

Pepartment of Environmental Conservation Conservation

Which toxins? (2014)

Hepatotoxins



| Cylindrospermopsin | N | % Detectable | % > 6ug/l |
|--------------------|-----|--------------|-----------|
| Open | 923 | 0% | 0% |
| Shore | 447 | 0% | 0% |


| d-Cylindrospermopsin | N | % Detectable | % > 6ug/ |
|----------------------|-----|--------------|----------|
| Open | 923 | 0% | 0% |
| Shore | 447 | 0% | 0% |

Neurotoxins

| Anatoxin-a | N | % Detectable | % > 1ug/l | % > 4ug/l |
|------------|-----|--------------|-----------|-----------|
| Open | 924 | 1% | 0% | 0% |
| Shore | 447 | 6% | 1% | 0% |

Department of Environmental Conservation


Unextracted vs. extracted chlorophyll



Fluoroprobe underestimates actual (extracted) chlorophyll Extracted threshold of 50 ug/l = unextracted of 35-40 ug/l



Pushback



Public

Notification impact to tourism, property values Inconsistent bloom reporting

Fear of recreating or living near cited lakes "Okay...we have a bloom. What will you do about it?"

Agencies

Numeric BGA bloom definition ≠ visual BGA some beaches

Dissuading some lake uses (fishing, boating)
Uncertainty about public messaging and
correct response



Next steps

HAB coordinator hired September 15th!!!!

Identify and implement sustainable funding sources

Dig through all of this data

Modify messaging- improve broad and site specific outreach

Expand surveillance and monitoring framework to more lakes


Direct more management programs to HAB waterbodies

Evaluate in-lake management tools for expanded toolbox





Lessons for others



"Pull out, Betty! Pull out! . . . You've hit on artery!"

Messaging and goals- matching info stream to data needs

Continually refine goals- can outreach keep up with input?

Build program around existing and sustainable tools

Dedicated staff needed- takes more time than you think

Meeting expectations- be prepared for "what next" questions

Anticipate curveballs to avoid ad hoc responses in real time

Questions?



Scott Kishbaugh, PE
NYSDEC Division of Water
625 Broadway, 4th Floor
Albany, NY 12233-3502
518-402-8286
scott.kishbaugh@dec.ny.gov





